


LEISTER

PLASTIC WELDING

VARIMAT V2

The new
dimension
on the roof.





Ergonomic:
Height and angle of guide-bar can be adjusted easily




Intuitive:
Protected design. Easy-to-view display with "e-drive" and easy-to-store welding settings



Maintenance-free:
High performance and brushless blower motor, no brushes to change



High tech:
New gear design allows speeds up to 39 ft/min




Weld seam control:
The green air dam belt keeps the hot air in the welded seam



More than double welding speed

High speed:
New welding nozzle with protected design for reliable welding quality



More stability:
The patented pressure roller smooths out any unevenness

Hot air welding machine

VARIMAT V2

Using the new VARIMAT V2, polymer roofing membranes can be welded more rapidly resulting in lower cost. Users appreciate its streamlined ergonomics and its ease of use.




- With up to 39 ft/min the highest welding speed in the world (depending on material)
- Close loop system for continuous welding speed
- Maintenance free blower, no brushes to replace
- User friendly display with “e-Drive” (press and turn control) to recall pre-set and saved welding settings

Technical Data		
Voltage	V~	230
Power consumption	W	4600
Temperature	°F	68 – 1148
Drive speed	ft/min	2.3 – 39
Air flow range	%	50 – 100
Width of welding nozzle	inch	1,6
Size (L x W x H)	inch	25 x 17 x 13
Weight	lbs	77









Art.-no.
VARIMAT V2 138.982

Other versions on request




For TPO-sheets the patented grip nozzle means there is no need for cleaning beforehand. (accessory)

Accessories VARIMAT V2

	113.995	Grip-nozzle 1.2 inch
	113.600	Grip-nozzle 1.6 inch
	107.067	Additional weight to give more pressure
	107.612	Heating element, 230 V, 4400 W
	139.048	Robust storage case * Size 28 x 19 x 18 inch, Multi-layer plate, green
	132.429	2 welding plates to start welds correctly*
	138.817	Steel brush to clean nozzle *
	110.714	Maintenance set with size 5 screw-driver, size 2 and 8 pin wrenches and open-ended wrench size 17

* Included in delivery



High potential savings:
Lower costs thanks to higher welding speed
(Cost calculations based on 24000 square yards / 17 ft/min)



The VARIMAT V2 is well protected in its robust storage box. It can easily be removed and replaced quickly.



The best machine for welding seams.

Tested under the most demanding circumstances!

Inclinations of up to 30° are possible without any problems.



Thanks to its slim line design, welding is possible in gaps as narrow as 4 inches.





A perfect blend of functionality and design: the new VARIMAT V2.



Headquarters:

Leister Process Technologies
Galileo-Strasse 10
6056 Kaegiswil/Switzerland

phone: +41 41 662 74 74
fax: +41 41 662 74 16
leister@leister.com

www.leister.com

Leister Process Technologies is certified according to **ISO 9001**.

Specifications are subject to change without prior notice.

Europe: Italy, Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Estonia, Denmark, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Iceland, Latvia, Lithuania, Netherlands, Norway, Poland, Portugal, Romania, Russia, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine

Asia: P. R. China, Hong Kong, India, Indonesia, Iran, Japan, Korea, Malaysia, Philippines, Saudi Arabia, Singapore, Taiwan, Thailand, United Arab Emirates, Vietnam

America: Canada, Mexico, USA, Argentina, Brazil, Chile, Peru

Africa: Egypt, Kenya, Morocco, South Africa

Oceania: Australia, New Zealand

Leister Technologies LLC
Itasca, IL, USA

Leister Technologies GmbH
Aachen, Germany

Leister Process Technologies
Headquarters and Manufacturing
Kaegiswil, Switzerland

Leister Technologies Ltd.
Shanghai, China


Leister Technologies KK
Yokohama, Japan

Our close worldwide network of more than 120 Sales and Service Centers in more than 90 countries.

© Copyright by Leister

Canada: Stanmech Technologies Inc.
Burlington, Ontario

Western Process Heat Inc.
92029 Escondido, CA
Toll free number: 800 694 1472



Industrial Heat Sources LLC
44134 Cleveland, OH
Toll free number: 800 635 0384

Heely-Brown Company
30318 Atlanta, GA
Toll free number: 800 241 4628